



## Hochleistungs-Zahnriemen – Chloropren High Performance Timing Belts – Chloroprene




### Type 3M P – Teilung *pitch* 3 mm

Artikel- Bezeichnung Designation	Wirklänge Pitch length (mm)	Anzahl der Zähne Number of teeth
111 3M P	111,00	37
129 3M P	129,00	43
141 3M P	141,00	47
144 3M P	144,00	48
150 3M P	150,00	50
159 3M P	159,00	53
165 3M P	165,00	55
168 3M P	168,00	56
171 3M P	171,00	57
174 3M P	174,00	58
177 3M P	177,00	59
180 3M P	180,00	60
183 3M P	183,00	61
186 3M P	186,00	62
192 3M P	192,00	64
195 3M P	195,00	65
201 3M P	201,00	67
204 3M P	204,00	68
207 3M P	207,00	69
210 3M P	210,00	70
213 3M P	213,00	71
225 3M P	225,00	75
240 3M P	240,00	80
246 3M P	246,00	82
249 3M P	249,00	83
252 3M P	252,00	84
255 3M P	255,00	85
267 3M P	267,00	89
276 3M P	276,00	92
282 3M P	282,00	94
285 3M P	285,00	95
288 3M P	288,00	96
291 3M P	291,00	97
294 3M P	294,00	98
300 3M P	300,00	100
312 3M P	312,00	104
315 3M P	315,00	105
318 3M P	318,00	106
330 3M P	330,00	110
333 3M P	333,00	111
339 3M P	339,00	113
345 3M P	345,00	115
357 3M P	357,00	119
363 3M P	363,00	121
366 3M P	366,00	122
384 3M P	384,00	128
390 3M P	390,00	130
420 3M P	420,00	140
426 3M P	426,00	142
435 3M P	435,00	145
447 3M P	447,00	149
462 3M P	462,00	154
474 3M P	474,00	158
480 3M P	480,00	160
486 3M P	486,00	162
495 3M P	495,00	165

Weitere Abmessungen auf Anfrage. *Further sizes on request.*




### Hochleistungs-Zahnriemen – Chloropren High Performance Timing Belts – Chloroprene




#### Type 3M P – Teilung *pitch* 3 mm

Artikel- Bezeichnung <i>Designation</i>	Wirklänge <i>Pitch length</i> (mm)	Anzahl der Zähne <i>Number</i> of teeth
501 3M P	501,00	167
513 3M P	513,00	171
519 3M P	519,00	173
522 3M P	522,00	174
525 3M P	525,00	175
531 3M P	531,00	177
537 3M P	537,00	179
558 3M P	558,00	186
564 3M P	564,00	188
570 3M P	570,00	190
582 3M P	582,00	194
597 3M P	597,00	199
600 3M P	600,00	200
606 3M P	606,00	202
615 3M P	615,00	205
633 3M P	633,00	211
669 3M P	669,00	223
675 3M P	675,00	225
711 3M P	711,00	237
738 3M P	738,00	246
804 3M P	804,00	268
816 3M P	816,00	272
843 3M P	843,00	281
882 3M P	882,00	294
888 3M P	888,00	296
1062 3M P	1062,00	354
1569 3M P	1569,00	523
1692 3M P	1692,00	564




**Hochleistungs-Zahnriemen – Chloropren**  
**High Performance Timing Belts – Chloroprene**




**Type 5M P – Teilung *pitch* 5 mm**

Artikel- Bezeichnung <i>Designation</i>	Wirklänge <i>Pitch length</i> (mm)	Anzahl der Zähne <i>Number of teeth</i>	9 mm Breite <i>width</i> Code-No. 9	15 mm Breite <i>width</i> Code-No. 15	25 mm Breite <i>width</i> Code-No. 25
180 5M P	180,00	36			
225 5M P	225,00	45			
255 5M P	255,00	51			
265 5M P	265,00	53			
270 5M P	270,00	54			
280 5M P	280,00	56			
295 5M P	295,00	59			
300 5M P	300,00	60			
305 5M P	305,00	61			
325 5M P	325,00	65			
330 5M P	330,00	66			
340 5M P	340,00	68			
350 5M P	350,00	70			
360 5M P	360,00	72			
365 5M P	365,00	73			
370 5M P	370,00	74			
375 5M P	375,00	75			
385 5M P	385,00	77			
400 5M P	400,00	80			
415 5M P	415,00	83			
420 5M P	420,00	84			
425 5M P	425,00	85			
450 5M P	450,00	90			
460 5M P	460,00	92			
475 5M P	475,00	95			
490 5M P	490,00	98			
500 5M P	500,00	100			
520 5M P	520,00	104			
525 5M P	525,00	105			
535 5M P	535,00	107			
540 5M P	540,00	108			
550 5M P	550,00	110			
560 5M P	560,00	112			
565 5M P	565,00	113			
575 5M P	575,00	115			
580 5M P	580,00	116			
600 5M P	600,00	120			
610 5M P	610,00	122			
615 5M P	615,00	123			
630 5M P	630,00	126			
635 5M P	635,00	127			
640 5M P	640,00	128			
645 5M P	645,00	129			
650 5M P	650,00	130			
665 5M P	665,00	133			
670 5M P	670,00	134			
700 5M P	700,00	140			
710 5M P	710,00	142			
720 5M P	720,00	144			
740 5M P	740,00	148			
750 5M P	750,00	150			
755 5M P	755,00	151			
775 5M P	775,00	155			
790 5M P	790,00	158			
800 5M P	800,00	160			
825 5M P	825,00	165			

Weitere Abmessungen auf Anfrage. *Further sizes on request.*




### Hochleistungs-Zahnriemen – Chloropren High Performance Timing Belts – Chloroprene




#### Type 5M P – Teilung *pitch* 5 mm

Artikel- Bezeichnung <i>Designation</i>	Wirklänge <i>Pitch length</i> (mm)	Anzahl der Zähne <i>Number</i> <i>of teeth</i>	9 mm Breite <i>width</i> Code-No. 9	15 mm Breite <i>width</i> Code-No. 15	25 mm Breite <i>width</i> Code-No. 25
830 5M P	830,00	166			
835 5M P	835,00	167			
850 5M P	850,00	170			
860 5M P	860,00	172			
890 5M P	890,00	178			
900 5M P	900,00	180			
925 5M P	925,00	185			
935 5M P	935,00	187			
940 5M P	940,00	188			
950 5M P	950,00	190			
965 5M P	965,00	193			
975 5M P	975,00	195			
980 5M P	980,00	196			
1000 5M P	1000,00	200			
1025 5M P	1025,00	205			
1035 5M P	1035,00	207			
1050 5M P	1050,00	210			
1100 5M P	1100,00	220			
1125 5M P	1125,00	225			
1135 5M P	1135,00	227			
1200 5M P	1200,00	240			
1270 5M P	1270,00	254			
1380 5M P	1380,00	276			
1400 5M P	1400,00	280			
1420 5M P	1420,00	284			
1425 5M P	1425,00	285			
1500 5M P	1500,00	300			
1595 5M P	1595,00	319			
1690 5M P	1690,00	338			
1790 5M P	1790,00	358			
1870 5M P	1870,00	374			
1895 5M P	1895,00	379			
2000 5M P	2000,00	400			
2110 5M P	2110,00	422			
2350 5M P	2350,00	470			
2525 5M P	2525,00	505			




## Hochleistungs-Zahnriemen – Chloropren High Performance Timing Belts – Chloroprene




### Type 8M P – Teilung *pitch* 8 mm

Artikel- Bezeichnung Designation	Wirklänge Pitch length (mm)	Anzahl der Zähne Number of teeth	20 mm Breite <i>width</i> Code-No. 20	30 mm Breite <i>width</i> Code-No. 30	50 mm Breite <i>width</i> Code-No. 50	85 mm Breite <i>width</i> Code-No. 85
288 8M P	288,00	36				
352 8M P	352,00	44				
376 8M P	376,00	47				
416 8M P	416,00	52				
424 8M P	424,00	53				
480 8M P	480,00	60				
512 8M P	512,00	64				
520 8M P	520,00	65				
560 8M P	560,00	70				
576 8M P	576,00	72				
600 8M P	600,00	75				
608 8M P	608,00	76				
624 8M P	624,00	78				
632 8M P	632,00	79				
640 8M P	640,00	80				
656 8M P	656,00	82				
680 8M P	680,00	85				
712 8M P	712,00	89				
720 8M P	720,00	90				
760 8M P	760,00	95				
776 8M P	776,00	97				
784 8M P	784,00	98				
800 8M P	800,00	100				
824 8M P	824,00	103				
840 8M P	840,00	105				
848 8M P	848,00	106				
856 8M P	856,00	107				
880 8M P	880,00	110				
896 8M P	896,00	112				
912 8M P	912,00	114				
920 8M P	920,00	115				
960 8M P	960,00	120				
976 8M P	976,00	122				
1000 8M P	1000,00	125				
1040 8M P	1040,00	130				
1056 8M P	1056,00	132				
1064 8M P	1064,00	133				
1080 8M P	1080,00	135				
1096 8M P	1096,00	137				
1120 8M P	1120,00	140				
1128 8M P	1128,00	141				
1160 8M P	1160,00	145				
1184 8M P	1184,00	148				
1200 8M P	1200,00	150				
1216 8M P	1216,00	152				
1224 8M P	1224,00	153				
1248 8M P	1248,00	156				
1256 8M P	1256,00	157				
1264 8M P	1264,00	158				
1280 8M P	1280,00	160				
1304 8M P	1304,00	163				
1328 8M P	1328,00	166				
1344 8M P	1344,00	168				
1360 8M P	1360,00	170				
1400 8M P	1400,00	175				
1424 8M P	1424,00	178				

Weitere Abmessungen auf Anfrage. Further sizes on request.




**Hochleistungs-Zahnriemen – Chloropren**  
**High Performance Timing Belts – Chloroprene**




Type 14M P – Teilung *pitch* 14 mm

Artikel- Bezeichnung Designation	Wirklänge Pitch length (mm)	Anzahl der Zähne Number of teeth	40 mm Breite width Code-No. 40	55 mm Breite width Code-No. 55	85 mm Breite width Code-No. 85	115 mm Breite width Code-No. 115	170 mm Breite width Code-No. 170
966 14M P	966,00	69					
1092 14M P	1092,00	78					
1190 14M P	1190,00	85					
1344 14M P	1344,00	96					
1400 14M P	1400,00	100					
1456 14M P	1456,00	104					
1512 14M P	1512,00	108					
1610 14M P	1610,00	115					
1680 14M P	1680,00	120					
1778 14M P	1778,00	127					
1890 14M P	1890,00	135					
2100 14M P	2100,00	150					
2310 14M P	2310,00	165					
2450 14M P	2450,00	175					
2590 14M P	2590,00	185					
2800 14M P	2800,00	200					
3150 14M P	3150,00	225					
3360 14M P	3360,00	240					
3500 14M P	3500,00	250					
3850 14M P	3850,00	275					
4326 14M P	4326,00	309					
4578 14M P	4578,00	327					



## Hochleistungs-Zahnriemen – Chloropren High Performance Timing Belts – Chloroprene



### Type 14M P – Teilung *pitch* 14 mm

Artikel- Bezeichnung Designation	Wirklänge Pitch length (mm)	Anzahl der Zähne Number of teeth	40 mm Breite width Code-No. 40	55 mm Breite width Code-No. 55	85 mm Breite width Code-No. 85	115 mm Breite width Code-No. 115	170 mm Breite width Code-No. 170
966 14M P	966,00	69					
1092 14M P	1092,00	78					
1190 14M P	1190,00	85					
1344 14M P	1344,00	96					
1400 14M P	1400,00	100					
1456 14M P	1456,00	104					
1512 14M P	1512,00	108					
1610 14M P	1610,00	115					
1680 14M P	1680,00	120					
1778 14M P	1778,00	127					
1890 14M P	1890,00	135					
2100 14M P	2100,00	150					
2310 14M P	2310,00	165					
2450 14M P	2450,00	175					
2590 14M P	2590,00	185					
2800 14M P	2800,00	200					
3150 14M P	3150,00	225					
3360 14M P	3360,00	240					
3500 14M P	3500,00	250					
3850 14M P	3850,00	275					
4326 14M P	4326,00	309					
4578 14M P	4578,00	327					