


A. Mangold
Antriebstechnik



Beschreibung

SPZ 487 mm (Lw)
SPZ 512 mm (Lw)
SPZ 562 mm (Lw)
SPZ 587 mm (Lw)
SPZ 612 mm (Lw)
SPZ 630 mm (Lw)
SPZ 637 mm (Lw)
SPZ 662 mm (Lw)
SPZ 670 mm (Lw)
SPZ 687 mm (Lw)
SPZ 710 mm (Lw)
SPZ 722 mm (Lw)
SPZ 737 mm (Lw)
SPZ 750 mm (Lw)
SPZ 762 mm (Lw)
SPZ 772 mm (Lw)
SPZ 787 mm (Lw)
SPZ 800 mm (Lw)
SPZ 812 mm (Lw)
SPZ 825 mm (Lw)
SPZ 837 mm (Lw)
SPZ 850 mm (Lw)
SPZ 862 mm (Lw)
SPZ 875 mm (Lw)
SPZ 887 mm (Lw)
SPZ 900 mm (Lw)
SPZ 912 mm (Lw)
SPZ 925 mm (Lw)
SPZ 937 mm (Lw)
SPZ 950 mm (Lw)
SPZ 962 mm (Lw)
SPZ 987 mm (Lw)
SPZ 1000 mm (Lw)
SPZ 1012 mm (Lw)
SPZ 1024 mm (Lw)
SPZ 1037 mm (Lw)
SPZ 1047 mm (Lw)
SPZ 1060 mm (Lw)
SPZ 1077 mm (Lw)
SPZ 1087 mm (Lw)
SPZ 1112 mm (Lw)
SPZ 1120 mm (Lw)
SPZ 1137 mm (Lw)
SPZ 1140 mm (Lw)
SPZ 1162 mm (Lw)
SPZ 1180 mm (Lw)
SPZ 1187 mm (Lw)
SPZ 1202 mm (Lw)
SPZ 1212 mm (Lw)
SPZ 1237 mm (Lw)
SPZ 1250 mm (Lw)
SPZ 1262 mm (Lw)

Beschreibung

SPZ 1287 mm (Lw)
SPZ 1312 mm (Lw)
SPZ 1320 mm (Lw)
SPZ 1337 mm (Lw)
SPZ 1347 mm (Lw)
SPZ 1362 mm (Lw)
SPZ 1387 mm (Lw)
SPZ 1400 mm (Lw)
SPZ 1412 mm (Lw)
SPZ 1437 mm (Lw)
SPZ 1462 mm (Lw)
SPZ 1487 mm (Lw)
SPZ 1500 mm (Lw)
SPZ 1512 mm (Lw)
SPZ 1537 mm (Lw)
SPZ 1562 mm (Lw)
SPZ 1587 mm (Lw)
SPZ 1600 mm (Lw)
SPZ 1612 mm (Lw)
SPZ 1637 mm (Lw)
SPZ 1662 mm (Lw)
SPZ 1687 mm (Lw)
SPZ 1700 mm (Lw)
SPZ 1737 mm (Lw)
SPZ 1762 mm (Lw)
SPZ 1787 mm (Lw)
SPZ 1800 mm (Lw)
SPZ 1812 mm (Lw)
SPZ 1837 mm (Lw)
SPZ 1862 mm (Lw)
SPZ 1887 mm (Lw)
SPZ 1900 mm (Lw)
SPZ 1937 mm (Lw)
SPZ 1987 mm (Lw)
SPZ 2000 mm (Lw)
SPZ 2037 mm (Lw)
SPZ 2087 mm (Lw)
SPZ 2120 mm (Lw)
SPZ 2137 mm (Lw)
SPZ 2187 mm (Lw)
SPZ 2207 mm (Lw)
SPZ 2240 mm (Lw)
SPZ 2262 mm (Lw)
SPZ 2287 mm (Lw)
SPZ 2360 mm (Lw)
SPZ 2500 mm (Lw)
SPZ 2650 mm (Lw)
SPZ 2800 mm (Lw)
SPZ 3000 mm (Lw)
SPZ 3150 mm (Lw)
SPZ 3350 mm (Lw)
SPZ 3550 mm (Lw)

Mangold
Antriebstechnik

Beschreibung

SPA 732 mm (Lw)
SPA 757 mm (Lw)
SPA 782 mm (Lw)
SPA 800 mm (Lw)
SPA 807 mm (Lw)
SPA 832 mm (Lw)
SPA 850 mm (Lw)
SPA 857 mm (Lw)
SPA 882 mm (Lw)
SPA 900 mm (Lw)
SPA 907 mm (Lw)
SPA 932 mm (Lw)
SPA 950 mm (Lw)
SPA 957 mm (Lw)
SPA 982 mm (Lw)
SPA 1000 mm (Lw)
SPA 1007 mm (Lw)
SPA 1032 mm (Lw)
SPA 1060 mm (Lw)
SPA 1082 mm (Lw)
SPA 1107 mm (Lw)
SPA 1120 mm (Lw)
SPA 1132 mm (Lw)
SPA 1157 mm (Lw)
SPA 1180 mm (Lw)
SPA 1207 mm (Lw)
SPA 1232 mm (Lw)
SPA 1250 mm (Lw)
SPA 1257 mm (Lw)
SPA 1272 mm (Lw)
SPA 1282 mm (Lw)
SPA 1307 mm (Lw)
SPA 1320 mm (Lw)
SPA 1332 mm (Lw)
SPA 1357 mm (Lw)
SPA 1382 mm (Lw)
SPA 1400 mm (Lw)
SPA 1407 mm (Lw)
SPA 1432 mm (Lw)
SPA 1457 mm (Lw)
SPA 1482 mm (Lw)
SPA 1500 mm (Lw)
SPA 1507 mm (Lw)
SPA 1532 mm (Lw)
SPA 1557 mm (Lw)
SPA 1582 mm (Lw)
SPA 1600 mm (Lw)
SPA 1607 mm (Lw)
SPA 1632 mm (Lw)
SPA 1657 mm (Lw)
SPA 1682 mm (Lw)
SPA 1700 mm (Lw)
SPA 1707 mm (Lw)
SPA 1732 mm (Lw)
SPA 1757 mm (Lw)
SPA 1782 mm (Lw)
SPA 1800 mm (Lw)

Beschreibung

SPA 1807 mm (Lw)
SPA 1832 mm (Lw)
SPA 1857 mm (Lw)
SPA 1882 mm (Lw)
SPA 1900 mm (Lw)
SPA 1907 mm (Lw)
SPA 1932 mm (Lw)
SPA 1957 mm (Lw)
SPA 1982 mm (Lw)
SPA 2000 mm (Lw)
SPA 2032 mm (Lw)
SPA 2057 mm (Lw)
SPA 2082 mm (Lw)
SPA 2120 mm (Lw)
SPA 2132 mm (Lw)
SPA 2182 mm (Lw)
SPA 2207 mm (Lw)
SPA 2232 mm (Lw)
SPA 2240 mm (Lw)
SPA 2282 mm (Lw)
SPA 2300 mm (Lw)
SPA 2307 mm (Lw)
SPA 2332 mm (Lw)
SPA 2360 mm (Lw)
SPA 2382 mm (Lw)
SPA 2432 mm (Lw)
SPA 2482 mm (Lw)
SPA 2500 mm (Lw)
SPA 2532 mm (Lw)
SPA 2582 mm (Lw)
SPA 2607 mm (Lw)
SPA 2632 mm (Lw)
SPA 2650 mm (Lw)
SPA 2682 mm (Lw)
SPA 2732 mm (Lw)
SPA 2782 mm (Lw)
SPA 2800 mm (Lw)
SPA 2832 mm (Lw)
SPA 2847 mm (Lw)
SPA 2882 mm (Lw)
SPA 2932 mm (Lw)
SPA 2982 mm (Lw)
SPA 3000 mm (Lw)
SPA 3032 mm (Lw)
SPA 3082 mm (Lw)
SPA 3150 mm (Lw)
SPA 3182 mm (Lw)
SPA 3282 mm (Lw)
SPA 3350 mm (Lw)
SPA 3382 mm (Lw)
SPA 3450 mm (Lw)
SPA 3550 mm (Lw)
SPA 3750 mm (Lw)
SPA 4000 mm (Lw)
SPA 4250 mm (Lw)
SPA 4500 mm (Lw)

Mangold
Antriebstechnik


Beschreibung

SPB 1250 mm (Lw)
SPB 1320 mm (Lw)
SPB 1400 mm (Lw)
SPB 1500 mm (Lw)
SPB 1600 mm (Lw)
SPB 1650 mm (Lw)
SPB 1700 mm (Lw)
SPB 1800 mm (Lw)
SPB 1850 mm (Lw)
SPB 1900 mm (Lw)
SPB 2000 mm (Lw)
SPB 2120 mm (Lw)
SPB 2150 mm (Lw)
SPB 2240 mm (Lw)
SPB 2360 mm (Lw)
SPB 2500 mm (Lw)
SPB 2650 mm (Lw)
SPB 2800 mm (Lw)
SPB 2900 mm (Lw)
SPB 3000 mm (Lw)

Beschreibung

SPB 3150 mm (Lw)
SPB 3250 mm (Lw)
SPB 3350 mm (Lw)
SPB 3450 mm (Lw)
SPB 3550 mm (Lw)
SPB 3750 mm (Lw)
SPB 3800 mm (Lw)
SPB 4000 mm (Lw)
SPB 4250 mm (Lw)
SPB 4500 mm (Lw)
SPB 4750 mm (Lw)
SPB 5000 mm (Lw)
SPB 5300 mm (Lw)
SPB 5600 mm (Lw)
SPB 6000 mm (Lw)
SPB 6300 mm (Lw)
SPB 6700 mm (Lw)
SPB 7100 mm (Lw)
SPB 7500 mm (Lw)
SPB 8000 mm (Lw)


A. Mangold
Antriebstechnik



Beschreibung

SPC 2000 mm (Lw)
SPC 2120 mm (Lw)
SPC 2240 mm (Lw)
SPC 2360 mm (Lw)
SPC 2500 mm (Lw)
SPC 2650 mm (Lw)
SPC 2800 mm (Lw)
SPC 3000 mm (Lw)
SPC 3150 mm (Lw)
SPC 3350 mm (Lw)
SPC 3550 mm (Lw)
SPC 3750 mm (Lw)
SPC 4000 mm (Lw)
SPC 4250 mm (Lw)
SPC 4500 mm (Lw)
SPC 4750 mm (Lw)
SPC 5000 mm (Lw)
SPC 5300 mm (Lw)
SPC 5600 mm (Lw)
SPC 6000 mm (Lw)
SPC 6300 mm (Lw)
SPC 6700 mm (Lw)
SPC 7100 mm (Lw)
SPC 7500 mm (Lw)
SPC 8000 mm (Lw)
SPC 8500 mm (Lw)
SPC 9000 mm (Lw)
SPC 9500 mm (Lw)

A. Mangold
Antriebstechnik



Beschreibung

XPZ 587 mm (Lw)
XPZ 612 mm (Lw)
XPZ 630 mm (Lw)
XPZ 637 mm (Lw)
XPZ 662 mm (Lw)
XPZ 670 mm (Lw)
XPZ 687 mm (Lw)
XPZ 710 mm (Lw)
XPZ 737 mm (Lw)
XPZ 750 mm (Lw)
XPZ 762 mm (Lw)
XPZ 772 mm (Lw)
XPZ 787 mm (Lw)
XPZ 800 mm (Lw)
XPZ 812 mm (Lw)
XPZ 825 mm (Lw)
XPZ 837 mm (Lw)
XPZ 850 mm (Lw)
XPZ 862 mm (Lw)
XPZ 875 mm (Lw)
XPZ 887 mm (Lw)
XPZ 900 mm (Lw)
XPZ 912 mm (Lw)
XPZ 925 mm (Lw)
XPZ 937 mm (Lw)
XPZ 950 mm (Lw)
XPZ 962 mm (Lw)
XPZ 987 mm (Lw)
XPZ 1000 mm (Lw)
XPZ 1012 mm (Lw)
XPZ 1037 mm (Lw)
XPZ 1060 mm (Lw)
XPZ 1077 mm (Lw)
XPZ 1087 mm (Lw)
XPZ 1112 mm (Lw)
XPZ 1120 mm (Lw)
XPZ 1137 mm (Lw)
XPZ 1162 mm (Lw)
XPZ 1180 mm (Lw)
XPZ 1187 mm (Lw)

Beschreibung

XPZ 1202 mm (Lw)
XPZ 1212 mm (Lw)
XPZ 1237 mm (Lw)
XPZ 1250 mm (Lw)
XPZ 1262 mm (Lw)
XPZ 1287 mm (Lw)
XPZ 1312 mm (Lw)
XPZ 1320 mm (Lw)
XPZ 1337 mm (Lw)
XPZ 1362 mm (Lw)
XPZ 1387 mm (Lw)
XPZ 1400 mm (Lw)
XPZ 1412 mm (Lw)
XPZ 1437 mm (Lw)
XPZ 1462 mm (Lw)
XPZ 1500 mm (Lw)
XPZ 1512 mm (Lw)
XPZ 1537 mm (Lw)
XPZ 1562 mm (Lw)
XPZ 1587 mm (Lw)
XPZ 1600 mm (Lw)
XPZ 1612 mm (Lw)
XPZ 1662 mm (Lw)
XPZ 1700 mm (Lw)
XPZ 1762 mm (Lw)
XPZ 1800 mm (Lw)
XPZ 1900 mm (Lw)
XPZ 1950 mm (Lw)
XPZ 2000 mm (Lw)
XPZ 2120 mm (Lw)
XPZ 2240 mm (Lw)
XPZ 2300 mm (Lw)
XPZ 2360 mm (Lw)
XPZ 2500 mm (Lw)
XPZ 2650 mm (Lw)
XPZ 2800 mm (Lw)
XPZ 3000 mm (Lw)
XPZ 3150 mm (Lw)
XPZ 3350 mm (Lw)
XPZ 3550 mm (Lw)


A. Mangold
Antriebstechnik

Beschreibung

XPA 657 mm (Lw)
XPA 732 mm (Lw)
XPA 757 mm (Lw)
XPA 782 mm (Lw)
XPA 800 mm (Lw)
XPA 807 mm (Lw)
XPA 832 mm (Lw)
XPA 850 mm (Lw)
XPA 857 mm (Lw)
XPA 882 mm (Lw)
XPA 900 mm (Lw)
XPA 907 mm (Lw)
XPA 932 mm (Lw)
XPA 950 mm (Lw)
XPA 957 mm (Lw)
XPA 982 mm (Lw)
XPA 1000 mm (Lw)
XPA 1007 mm (Lw)
XPA 1030 mm (Lw)
XPA 1060 mm (Lw)
XPA 1082 mm (Lw)
XPA 1107 mm (Lw)
XPA 1120 mm (Lw)
XPA 1132 mm (Lw)
XPA 1157 mm (Lw)
XPA 1180 mm (Lw)
XPA 1207 mm (Lw)
XPA 1232 mm (Lw)
XPA 1250 mm (Lw)
XPA 1257 mm (Lw)
XPA 1272 mm (Lw)
XPA 1282 mm (Lw)
XPA 1307 mm (Lw)
XPA 1320 mm (Lw)

Beschreibung

XPA 1332 mm (Lw)
XPA 1357 mm (Lw)
XPA 1382 mm (Lw)
XPA 1400 mm (Lw)
XPA 1432 mm (Lw)
XPA 1457 mm (Lw)
XPA 1482 mm (Lw)
XPA 1500 mm (Lw)
XPA 1507 mm (Lw)
XPA 1532 mm (Lw)
XPA 1557 mm (Lw)
XPA 1582 mm (Lw)
XPA 1600 mm (Lw)
XPA 1607 mm (Lw)
XPA 1632 mm (Lw)
XPA 1700 mm (Lw)
XPA 1750 mm (Lw)
XPA 1757 mm (Lw)
XPA 1800 mm (Lw)
XPA 1882 mm (Lw)
XPA 1900 mm (Lw)
XPA 1950 mm (Lw)
XPA 1957 mm (Lw)
XPA 2000 mm (Lw)
XPA 2120 mm (Lw)
XPA 2240 mm (Lw)
XPA 2360 mm (Lw)
XPA 2500 mm (Lw)
XPA 2650 mm (Lw)
XPA 2800 mm (Lw)
XPA 3000 mm (Lw)
XPA 3150 mm (Lw)
XPA 3350 mm (Lw)
XPA 3550 mm (Lw)



Mangold
Antriebstechnik

Beschreibung

XPB 1250 mm (Lw)
XPB 1320 mm (Lw)
XPB 1400 mm (Lw)
XPB 1500 mm (Lw)
XPB 1600 mm (Lw)
XPB 1700 mm (Lw)
XPB 1800 mm (Lw)
XPB 1900 mm (Lw)
XPB 2000 mm (Lw)
XPB 2120 mm (Lw)
XPB 2240 mm (Lw)
XPB 2360 mm (Lw)
XPB 2500 mm (Lw)
XPB 2530 mm (Lw)
XPB 2650 mm (Lw)
XPB 2800 mm (Lw)
XPB 3000 mm (Lw)
XPB 3150 mm (Lw)
XPB 3350 mm (Lw)
XPB 3550 mm (Lw)
XPB 3750 mm (Lw)

Beschreibung

XPC 2000 mm (Lw)
XPC 2120 mm (Lw)
XPC 2240 mm (Lw)
XPC 2360 mm (Lw)
XPC 2500 mm (Lw)
XPC 2650 mm (Lw)
XPC 2800 mm (Lw)
XPC 3000 mm (Lw)
XPC 3150 mm (Lw)
XPC 3350 mm (Lw)
XPC 3550 mm (Lw)

A. Mangold
Antriebstechnik

