



| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|--------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 16 T2,5/12-2 | 12 | 1F | Al | 9,55 | 9 | 13 | 9 | 16 | 12 | — | 3 | 0,003 |
| 16 T2,5/14-2 | 14 | 1F | Al | 11,14 | 10,6 | 15 | 9 | 16 | 14 | — | 4 | 0,004 |
| 16 T2,5/15-2 | 15 | 1F | Al | 11,94 | 11,4 | 15 | 9 | 16 | 15 | — | 4 | 0,005 |
| 16 T2,5/16-2 | 16 | 1F | Al | 12,73 | 12,2 | 16 | 9 | 16 | 16 | — | 5 | 0,005 |
| 16 T2,5/18-2 | 18 | 6F | Al | 14,32 | 13,8 | 17,5 | 10 | 16 | 9,5 | 4 | 6 | 0,006 |
| 16 T2,5/19-2 | 19 | 6F | Al | 15,12 | 14,6 | 18 | 10 | 16 | 9,5 | 4 | 6 | 0,007 |
| 16 T2,5/20-2 | 20 | 6F | Al | 15,92 | 15,4 | 19,5 | 10 | 16 | 10 | 4 | 6 | 0,008 |
| 16 T2,5/22-2 | 22 | 6F | Al | 17,51 | 17 | 23 | 10 | 16 | 10 | 4 | 6 | 0,009 |
| 16 T2,5/24-2 | 24 | 6F | Al | 19,1 | 18,55 | 23 | 10 | 16 | 12 | 4 | 6 | 0,012 |
| 16 T2,5/25-2 | 25 | 6F | Al | 19,9 | 19,35 | 23 | 10 | 16 | 12 | 4 | 8 | 0,013 |
| 16 T2,5/26-2 | 26 | 6F | Al | 20,7 | 20,15 | 25 | 10 | 16 | 13 | 4 | 8 | 0,014 |
| 16 T2,5/28-2 | 28 | 6F | Al | 22,28 | 21,75 | 25 | 10 | 16 | 13 | 4 | 8 | 0,016 |
| 16 T2,5/30-2 | 30 | 6F | Al | 23,87 | 23,35 | 28 | 10 | 16 | 16 | 6 | 10 | 0,018 |
| 16 T2,5/32-2 | 32 | 6F | Al | 25,47 | 24,95 | 32 | 10 | 16 | 16 | 6 | 10 | 0,02 |
| 16 T2,5/36-2 | 36 | 6F | Al | 28,65 | 28,1 | 36 | 10 | 16 | 20 | 6 | 12 | 0,026 |
| 16 T2,5/40-2 | 40 | 6F | Al | 31,83 | 31,3 | 38 | 10 | 16 | 20 | 6 | 12 | 0,032 |
| 16 T2,5/44-2 | 44 | 6F | Al | 35,02 | 34,5 | 42 | 10 | 16 | 24 | 6 | 14 | 0,04 |
| 16 T2,5/48-0 | 48 | 6 | Al | 38,2 | 37,7 | — | 10 | 16 | 26 | 6 | 15 | 0,048 |
| 16 T2,5/60-0 | 60 | 6 | Al | 47,75 | 47,25 | — | 10 | 16 | 34 | 8 | 18 | 0,073 |




| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 21 T5/10-2 | 10 | 6F | Al | 15,92 | 15,05 | 19,5 | 15 | 21 | 8 | — | 5 | 0,012 |
| 21 T5/12-2 | 12 | 6F | Al | 19,01 | 18,25 | 23 | 15 | 21 | 10 | — | 6 | 0,016 |
| 21 T5/14-2 | 14 | 6F | Al | 22,29 | 21,45 | 25 | 15 | 21 | 13 | — | 8 | 0,019 |
| 21 T5/15-2 | 15 | 6F | Al | 23,88 | 23,05 | 28 | 15 | 21 | 16 | 6 | 10 | 0,021 |
| 21 T5/16-2 | 16 | 6F | Al | 25,47 | 24,6 | 32 | 15 | 21 | 18 | 6 | 11 | 0,025 |
| 21 T5/18-2 | 18 | 6F | Al | 28,65 | 27,8 | 32 | 15 | 21 | 19 | 6 | 12 | 0,031 |
| 21 T5/19-2 | 19 | 6F | Al | 30,25 | 29,4 | 36 | 15 | 21 | 22 | 6 | 12 | 0,036 |
| 21 T5/20-2 | 20 | 6F | Al | 31,83 | 31 | 36 | 15 | 21 | 23 | 6 | 14 | 0,038 |
| 21 T5/22-2 | 22 | 6F | Al | 35,12 | 34,25 | 38 | 15 | 21 | 24 | 6 | 15 | 0,046 |
| 21 T5/24-2 | 24 | 6F | Al | 38,21 | 37,4 | 42 | 15 | 21 | 26 | 6 | 15 | 0,054 |
| 21 T5/25-2 | 25 | 6F | Al | 39,8 | 39 | 44 | 15 | 21 | 26 | 6 | 15 | 0,058 |
| 21 T5/26-2 | 26 | 6F | Al | 41,47 | 40,6 | 44 | 15 | 21 | 26 | 6 | 16 | 0,062 |
| 21 T5/27-2 | 27 | 6F | Al | 42,98 | 42,2 | 48 | 15 | 21 | 30 | 8 | 18 | 0,064 |
| 21 T5/28-2 | 28 | 6F | Al | 44,62 | 43,75 | 48 | 15 | 21 | 32 | 8 | 18 | 0,071 |
| 21 T5/30-2 | 30 | 6F | Al | 47,76 | 46,95 | 51 | 15 | 21 | 34 | 8 | 18 | 0,075 |
| 21 T5/32-2 | 32 | 6F | Al | 50,94 | 50,1 | 54 | 15 | 21 | 38 | 8 | 22 | 0,088 |
| 21 T5/36-2 | 36 | 6F | Al | 57,31 | 56,45 | 63 | 15 | 21 | 38 | 8 | 22 | 0,114 |
| 21 T5/40-2 | 40 | 6F | Al | 63,66 | 62,85 | 66 | 15 | 21 | 40 | 8 | 23 | 0,138 |
| 21 T5/42-2 | 42 | 6F | Al | 66,87 | 66 | 71 | 15 | 21 | 40 | 8 | 24 | 0,18 |
| 21 T5/44-0 | 44 | 6 | Al | 70,07 | 69,2 | — | 15 | 21 | 45 | 8 | 26 | 0,185 |
| 21 T5/48-0 | 48 | 6 | Al | 76,42 | 75,55 | — | 15 | 21 | 50 | 8 | 28 | 0,2 |
| 21 T5/60-0 | 60 | 6 | Al | 95,52 | 94,65 | — | 15 | 21 | 65 | 8 | 35 | 0,307 |




| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohrung max. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|------------------------------------|-----------------|
| 27 T5/10-2 | 10 | 6F | Al | 15,92 | 15,05 | 15,5 | 21 | 27 | 8 | — | 5 | 0,016 |
| 27 T5/12-2 | 12 | 6F | Al | 19,01 | 18,25 | 23,5 | 21 | 27 | 10 | — | 6 | 0,022 |
| 27 T5/14-2 | 14 | 6F | Al | 22,29 | 21,45 | 25 | 21 | 27 | 13 | — | 8 | 0,026 |
| 27 T5/15-2 | 15 | 6F | Al | 23,88 | 23,05 | 28 | 21 | 27 | 16 | 6 | 10 | 0,029 |
| 27 T5/16-2 | 16 | 6F | Al | 25,47 | 24,6 | 32 | 21 | 27 | 18 | 6 | 11 | 0,035 |
| 27 T5/18-2 | 18 | 6F | Al | 28,65 | 27,8 | 32 | 21 | 27 | 19 | 6 | 12 | 0,043 |
| 27 T5/19-2 | 19 | 6F | Al | 30,25 | 29,4 | 36 | 21 | 27 | 22 | 6 | 12 | 0,049 |
| 27 T5/20-2 | 20 | 6F | Al | 31,83 | 31 | 36 | 21 | 27 | 23 | 6 | 14 | 0,053 |
| 27 T5/22-2 | 22 | 6F | Al | 35,12 | 34,25 | 38 | 21 | 27 | 24 | 6 | 15 | 0,054 |
| 27 T5/24-2 | 24 | 6F | Al | 38,21 | 37,4 | 42 | 21 | 27 | 26 | 6 | 15 | 0,076 |
| 27 T5/25-2 | 25 | 6F | Al | 39,8 | 39 | 44 | 21 | 27 | 26 | 6 | 15 | 0,081 |
| 27 T5/26-2 | 26 | 6F | Al | 41,47 | 40,6 | 44 | 21 | 27 | 26 | 6 | 16 | 0,085 |
| 27 T5/27-2 | 27 | 6F | Al | 42,98 | 42,2 | 48 | 21 | 27 | 30 | 8 | 18 | 0,09 |
| 27 T5/28-2 | 28 | 6F | Al | 44,62 | 43,75 | 48 | 21 | 27 | 32 | 8 | 18 | 0,092 |
| 27 T5/30-2 | 30 | 6F | Al | 47,76 | 46,95 | 51 | 21 | 27 | 34 | 8 | 18 | 0,105 |
| 27 T5/32-2 | 32 | 6F | Al | 50,94 | 50,1 | 54 | 21 | 27 | 38 | 8 | 22 | 0,123 |
| 27 T5/36-2 | 36 | 6F | Al | 57,31 | 56,45 | 63 | 21 | 27 | 38 | 8 | 22 | 0,16 |
| 27 T5/40-2 | 40 | 6F | Al | 63,66 | 62,85 | 66 | 21 | 27 | 40 | 8 | 23 | 0,193 |
| 27 T5/42-2 | 42 | 6F | Al | 66,87 | 66 | 71 | 21 | 27 | 40 | 8 | 24 | 0,205 |
| 27 T5/44-0 | 44 | 6 | Al | 70,07 | 69,2 | — | 21 | 27 | 45 | 8 | 26 | 0,228 |
| 27 T5/48-0 | 48 | 6 | Al | 76,42 | 75,55 | — | 21 | 27 | 50 | 8 | 28 | 0,28 |
| 27 T5/60-0 | 60 | 6 | Al | 95,52 | 94,65 | — | 21 | 27 | 65 | 8 | 35 | 0,43 |


| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 36 T5/10-2 | 10 | 6F | Al | 15,92 | 15,05 | 19,5 | 30 | 36 | 8 | — | 5 | 0,023 |
| 36 T5/12-2 | 12 | 6F | Al | 19,01 | 18,25 | 23 | 30 | 36 | 10 | — | 6 | 0,031 |
| 36 T5/14-2 | 14 | 6F | Al | 22,29 | 21,45 | 25 | 30 | 36 | 13 | — | 8 | 0,037 |
| 36 T5/15-2 | 15 | 6F | Al | 23,88 | 23,05 | 28 | 30 | 36 | 16 | 6 | 10 | 0,041 |
| 36 T5/16-2 | 16 | 6F | Al | 25,47 | 24,6 | 32 | 30 | 36 | 18 | 6 | 11 | 0,05 |
| 36 T5/18-2 | 18 | 6F | Al | 28,65 | 27,8 | 32 | 30 | 36 | 19 | 6 | 12 | 0,061 |
| 36 T5/19-2 | 19 | 6F | Al | 30,25 | 29,4 | 36 | 30 | 36 | 22 | 6 | 12 | 0,07 |
| 36 T5/20-2 | 20 | 6F | Al | 31,83 | 31 | 36 | 30 | 36 | 23 | 6 | 14 | 0,076 |
| 36 T5/22-2 | 22 | 6F | Al | 35,12 | 34,25 | 38 | 30 | 36 | 24 | 6 | 15 | 0,08 |
| 36 T5/24-2 | 24 | 6F | Al | 38,21 | 37,4 | 42 | 30 | 36 | 26 | 8 | 15 | 0,109 |
| 36 T5/25-2 | 25 | 6F | Al | 39,8 | 39 | 44 | 30 | 36 | 26 | 8 | 15 | 0,116 |
| 36 T5/26-2 | 26 | 6F | Al | 41,47 | 40,6 | 44 | 30 | 36 | 26 | 8 | 16 | 0,12 |
| 36 T5/27-2 | 27 | 6F | Al | 42,98 | 42,2 | 48 | 30 | 36 | 30 | 8 | 18 | 0,128 |
| 36 T5/28-2 | 28 | 6F | Al | 44,62 | 43,75 | 48 | 30 | 36 | 32 | 8 | 18 | 0,135 |
| 36 T5/30-2 | 30 | 6F | Al | 47,76 | 46,95 | 51 | 30 | 36 | 34 | 8 | 18 | 0,15 |
| 36 T5/32-2 | 32 | 6F | Al | 50,94 | 50,1 | 54 | 30 | 36 | 38 | 8 | 22 | 0,176 |
| 36 T5/36-2 | 36 | 6F | Al | 57,31 | 56,45 | 63 | 30 | 36 | 38 | 8 | 22 | 0,23 |
| 36 T5/40-2 | 40 | 6F | Al | 63,66 | 62,85 | 66 | 30 | 36 | 40 | 8 | 23 | 0,276 |
| 36 T5/42-2 | 42 | 6F | Al | 66,87 | 66 | 71 | 30 | 36 | 40 | 8 | 24 | 0,284 |
| 36 T5/44-0 | 44 | 6 | Al | 70,07 | 69,2 | — | 30 | 36 | 45 | 8 | 26 | 0,315 |
| 36 T5/48-0 | 48 | 6 | Al | 76,42 | 75,55 | — | 30 | 36 | 50 | 8 | 28 | 0,4 |
| 36 T5/60-0 | 60 | 6 | Al | 95,52 | 94,65 | — | 30 | 36 | 65 | 8 | 35 | 0,614 |




| Bezeichnung | Anzahl der Zähne | Ausfüh- rung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 21 AT5/12-2 | 12 | 6F | Al | 19,01 | 17,85 | 23 | 15 | 21 | 10 | — | 6 | 0,016 |
| 21 AT5/14-2 | 14 | 6F | Al | 22,29 | 21,05 | 25 | 15 | 21 | 13 | — | 8 | 0,019 |
| 21 AT5/15-2 | 15 | 6F | Al | 23,88 | 22,65 | 28 | 15 | 21 | 16 | 6 | 10 | 0,021 |
| 21 AT5/16-2 | 16 | 6F | Al | 25,47 | 24,2 | 32 | 15 | 21 | 18 | 6 | 11 | 0,025 |
| 21 AT5/18-2 | 18 | 6F | Al | 28,65 | 27,4 | 32 | 15 | 21 | 19 | 6 | 12 | 0,031 |
| 21 AT5/19-2 | 19 | 6F | Al | 30,25 | 29 | 36 | 15 | 21 | 22 | 6 | 12 | 0,036 |
| 21 AT5/20-2 | 20 | 6F | Al | 31,83 | 30,6 | 36 | 15 | 21 | 23 | 6 | 14 | 0,038 |
| 21 AT5/22-2 | 22 | 6F | Al | 35,12 | 33,85 | 38 | 15 | 21 | 24 | 6 | 15 | 0,046 |
| 21 AT5/24-2 | 24 | 6F | Al | 38,21 | 37 | 42 | 15 | 21 | 26 | 6 | 15 | 0,054 |
| 21 AT5/25-2 | 25 | 6F | Al | 39,8 | 38,6 | 44 | 15 | 21 | 26 | 6 | 15 | 0,058 |
| 21 AT5/26-2 | 26 | 6F | Al | 41,47 | 40,2 | 44 | 15 | 21 | 26 | 6 | 16 | 0,062 |
| 21 AT5/27-2 | 27 | 6F | Al | 42,98 | 41,8 | 48 | 15 | 21 | 30 | 8 | 18 | 0,064 |
| 21 AT5/28-2 | 28 | 6F | Al | 44,62 | 43,35 | 48 | 15 | 21 | 32 | 8 | 18 | 0,071 |
| 21 AT5/30-2 | 30 | 6F | Al | 47,76 | 46,55 | 51 | 15 | 21 | 34 | 8 | 18 | 0,075 |
| 21 AT5/32-2 | 32 | 6F | Al | 50,94 | 49,7 | 54 | 15 | 21 | 38 | 8 | 22 | 0,088 |
| 21 AT5/36-2 | 36 | 6F | Al | 57,31 | 56,05 | 63 | 15 | 21 | 38 | 8 | 22 | 0,114 |
| 21 AT5/40-2 | 40 | 6F | Al | 63,66 | 62,45 | 66 | 15 | 21 | 40 | 8 | 23 | 0,138 |
| 21 AT5/42-2 | 42 | 6F | Al | 66,87 | 65,6 | 71 | 15 | 21 | 40 | 8 | 24 | 0,18 |
| 21 AT5/44-0 | 44 | 6 | Al | 70,07 | 68,8 | — | 15 | 21 | 45 | 8 | 26 | 0,185 |
| 21 AT5/48-0 | 48 | 6 | Al | 76,42 | 75,15 | — | 15 | 21 | 50 | 8 | 28 | 0,2 |
| 21 AT5/60-0 | 60 | 6 | Al | 95,52 | 94,25 | — | 15 | 21 | 65 | 8 | 35 | 0,307 |




| Bezeichnung | Anzahl der Zähne | Ausfüh- rung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 27 AT5/12-2 | 12 | 6F | Al | 19,01 | 17,85 | 23 | 21 | 27 | 10 | 6 | 6 | 0,022 |
| 27 AT5/14-2 | 14 | 6F | Al | 22,29 | 21,05 | 25 | 21 | 27 | 13 | 6 | 8 | 0,026 |
| 28 AT5/15-2 | 15 | 6F | Al | 23,88 | 22,65 | 28 | 21 | 27 | 16 | 6 | 10 | 0,029 |
| 27 AT5/16-2 | 16 | 6F | Al | 25,47 | 24,2 | 32 | 21 | 27 | 18 | 6 | 11 | 0,035 |
| 27 AT5/18-2 | 18 | 6F | Al | 28,65 | 27,4 | 32 | 21 | 27 | 19 | 6 | 12 | 0,043 |
| 27 AT5/19-2 | 19 | 6F | Al | 30,25 | 29 | 36 | 21 | 27 | 22 | 6 | 12 | 0,049 |
| 27 AT5/20-2 | 20 | 6F | Al | 31,83 | 30,6 | 36 | 21 | 27 | 23 | 6 | 14 | 0,053 |
| 27 AT5/22-2 | 22 | 6F | Al | 35,12 | 33,85 | 38 | 21 | 27 | 24 | 6 | 21 | 0,054 |
| 27 AT5/24-2 | 24 | 6F | Al | 38,21 | 37 | 42 | 21 | 27 | 26 | 6 | 21 | 0,076 |
| 27 AT5/25-2 | 25 | 6F | Al | 39,8 | 38,6 | 44 | 21 | 27 | 26 | 6 | 21 | 0,081 |
| 27 AT5/26-2 | 26 | 6F | Al | 41,47 | 40,2 | 44 | 21 | 27 | 26 | 6 | 16 | 0,085 |
| 27 AT5/27-2 | 27 | 6F | Al | 42,98 | 41,8 | 48 | 21 | 27 | 30 | 8 | 18 | 0,09 |
| 27 AT5/28-2 | 28 | 6F | Al | 44,62 | 43,35 | 48 | 21 | 27 | 32 | 8 | 18 | 0,092 |
| 27 AT5/30-2 | 30 | 6F | Al | 47,76 | 46,55 | 51 | 21 | 27 | 34 | 8 | 18 | 0,105 |
| 27 AT5/32-2 | 32 | 6F | Al | 50,94 | 49,7 | 54 | 21 | 27 | 38 | 8 | 22 | 0,123 |
| 27 AT5/36-2 | 36 | 6F | Al | 57,31 | 56,05 | 63 | 21 | 27 | 38 | 8 | 22 | 0,16 |
| 27 AT5/40-2 | 40 | 6F | Al | 63,66 | 62,45 | 66 | 21 | 27 | 40 | 8 | 23 | 0,193 |
| 27 AT5/42-2 | 42 | 6F | Al | 66,87 | 65,6 | 71 | 21 | 27 | 40 | 8 | 24 | 0,205 |
| 27 AT5/44-0 | 44 | 6 | Al | 70,07 | 68,8 | — | 21 | 27 | 45 | 8 | 26 | 0,228 |
| 27 AT5/48-0 | 48 | 6 | Al | 76,42 | 75,15 | — | 21 | 27 | 50 | 8 | 28 | 0,28 |




| Bezeichnung | Anzahl der Zähne | Ausfüh- rung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 36 AT5/12-2 | 12 | 6F | Al | 19,01 | 17,85 | 23 | 30 | 36 | 10 | — | 6 | 0,031 |
| 36 AT5/14-2 | 14 | 6F | Al | 22,29 | 21,05 | 25 | 30 | 36 | 13 | — | 8 | 0,037 |
| 36 AT5/15-2 | 15 | 6F | Al | 23,88 | 22,65 | 28 | 30 | 36 | 16 | 6 | 10 | 0,041 |
| 36 AT5/16-2 | 16 | 6F | Al | 25,47 | 24,2 | 32 | 30 | 36 | 18 | 6 | 11 | 0,05 |
| 36 AT5/18-2 | 18 | 6F | Al | 28,65 | 27,4 | 32 | 30 | 36 | 19 | 6 | 12 | 0,061 |
| 36 AT5/19-2 | 19 | 6F | Al | 30,25 | 29 | 36 | 30 | 36 | 22 | 6 | 12 | 0,07 |
| 36 AT5/20-2 | 20 | 6F | Al | 31,83 | 30,6 | 36 | 30 | 36 | 23 | 6 | 14 | 0,076 |
| 36 AT5/22-2 | 22 | 6F | Al | 35,12 | 33,85 | 38 | 30 | 36 | 24 | 6 | 15 | 0,08 |
| 36 AT5/24-2 | 24 | 6F | Al | 38,21 | 37 | 42 | 30 | 36 | 26 | 8 | 15 | 0,109 |
| 36 AT5/25-2 | 25 | 6F | Al | 39,8 | 38,6 | 44 | 30 | 36 | 26 | 8 | 15 | 0,116 |
| 36 AT5/26-2 | 26 | 6F | Al | 41,47 | 40,2 | 44 | 30 | 36 | 26 | 8 | 16 | 0,12 |
| 36 AT5/27-2 | 27 | 6F | Al | 42,98 | 41,8 | 48 | 30 | 36 | 30 | 8 | 18 | 0,128 |
| 36 AT5/28-2 | 28 | 6F | Al | 44,62 | 43,35 | 48 | 30 | 36 | 32 | 8 | 18 | 0,135 |
| 36 AT5/30-2 | 30 | 6F | Al | 47,76 | 46,55 | 51 | 30 | 36 | 34 | 8 | 18 | 0,15 |
| 36 AT5/32-2 | 32 | 6F | Al | 50,94 | 49,7 | 54 | 30 | 36 | 38 | 8 | 22 | 0,176 |
| 36 AT5/36-2 | 36 | 6F | Al | 57,31 | 56,05 | 63 | 30 | 36 | 38 | 8 | 22 | 0,23 |
| 36 AT5/40-2 | 40 | 6F | Al | 63,66 | 62,45 | 66 | 30 | 36 | 40 | 8 | 23 | 0,276 |
| 36 AT5/42-2 | 42 | 6F | Al | 66,87 | 65,6 | 71 | 30 | 36 | 40 | 8 | 24 | 0,284 |
| 36 AT5/44-0 | 44 | 6 | Al | 70,07 | 68,8 | — | 30 | 36 | 45 | 8 | 26 | 0,315 |
| 36 AT5/48-0 | 48 | 6 | Al | 76,42 | 75,15 | — | 30 | 36 | 50 | 8 | 28 | 0,4 |
| 36 AT5/60-0 | 60 | 6 | Al | 95,52 | 94,25 | — | 30 | 36 | 65 | 8 | 35 | 0,614 |




| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 31 T10/12-2 | 12 | 6F | Al | 38,2 | 36,35 | 42 | 21 | 31 | 28 | 6 | 16 | 0,076 |
| 31 T10/14-2 | 14 | 6F | Al | 44,56 | 42,7 | 48 | 21 | 31 | 32 | 8 | 18 | 0,104 |
| 31 T10/15-2 | 15 | 6F | Al | 47,75 | 45,9 | 51 | 21 | 31 | 32 | 8 | 18 | 0,116 |
| 31 T10/16-2 | 16 | 6F | Al | 50,93 | 49,05 | 54 | 21 | 31 | 35 | 8 | 20 | 0,134 |
| 31 T10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 21 | 31 | 40 | 8 | 22 | 0,167 |
| 31 T10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 21 | 31 | 44 | 8 | 22 | 0,184 |
| 31 T10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 21 | 31 | 46 | 8 | 24 | 0,208 |
| 31 T10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 21 | 31 | 52 | 8 | 28 | 0,253 |
| 31 T10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 21 | 31 | 58 | 8 | 30 | 0,288 |
| 31 T10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 21 | 31 | 60 | 8 | 30 | 0,31 |
| 31 T10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 21 | 31 | 60 | 8 | 30 | 0,357 |
| 31 T10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 21 | 31 | 60 | 8 | 30 | 0,364 |
| 31 T10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 21 | 31 | 60 | 8 | 30 | 0,401 |
| 31 T10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 21 | 31 | 60 | 8 | 30 | 0,441 |
| 31 T10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 21 | 31 | 65 | 10 | 32 | 0,493 |
| 31 T10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 21 | 31 | 70 | 10 | 35 | 0,623 |
| 31 T10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 21 | 31 | 80 | 10 | 40 | 0,767 |
| 31 T10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 21 | 31 | 88 | 10 | 46 | 0,993 |
| 31 T10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 21 | 31 | 95 | 16 | 48 | 1,09 |
| 31 T10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 21 | 31 | 110 | 16 | 60 | 1,71 |




| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 40 T10/12-2 | 12 | 6F | Al | 38,2 | 36,35 | 42 | 30 | 40 | 28 | 6 | 16 | 0,099 |
| 40 T10/14-2 | 14 | 6F | Al | 44,56 | 42,7 | 48 | 30 | 40 | 32 | 8 | 18 | 0,134 |
| 40 T10/15-2 | 15 | 6F | Al | 47,75 | 45,9 | 51 | 30 | 40 | 32 | 8 | 18 | 0,152 |
| 40 T10/16-2 | 16 | 6F | Al | 50,93 | 49,05 | 54 | 30 | 40 | 35 | 8 | 20 | 0,176 |
| 40 T10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 30 | 40 | 40 | 8 | 22 | 0,224 |
| 40 T10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 30 | 40 | 44 | 8 | 22 | 0,247 |
| 40 T10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 30 | 40 | 46 | 8 | 24 | 0,276 |
| 40 T10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 30 | 40 | 52 | 8 | 28 | 0,337 |
| 40 T10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 30 | 40 | 58 | 8 | 30 | 0,392 |
| 40 T10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 30 | 40 | 60 | 8 | 30 | 0,422 |
| 40 T10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 30 | 40 | 60 | 8 | 30 | 0,477 |
| 40 T10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 30 | 40 | 60 | 8 | 30 | 0,536 |
| 40 T10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 30 | 40 | 60 | 8 | 30 | 0,54 |
| 40 T10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 30 | 40 | 60 | 8 | 30 | 0,64 |
| 40 T10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 30 | 40 | 65 | 10 | 32 | 0,693 |
| 40 T10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 30 | 40 | 70 | 10 | 35 | 0,873 |
| 40 T10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 30 | 40 | 80 | 10 | 40 | 1,067 |
| 40 T10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 30 | 40 | 88 | 10 | 46 | 1,35 |
| 40 T10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 30 | 40 | 95 | 16 | 48 | 1,516 |
| 40 T10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 30 | 40 | 110 | 16 | 60 | 2,339 |




| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 47 T10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 37 | 47 | 40 | 10 | 22 | 0,253 |
| 47 T10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 37 | 47 | 44 | 10 | 22 | 0,286 |
| 47 T10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 37 | 47 | 46 | 12 | 24 | 0,322 |
| 47 T10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 37 | 47 | 52 | 12 | 28 | 0,393 |
| 47 T10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 37 | 47 | 58 | 12 | 30 | 0,475 |
| 47 T10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 37 | 47 | 60 | 12 | 30 | 0,527 |
| 47 T10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 37 | 47 | 60 | 12 | 30 | 0,564 |
| 47 T10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 37 | 47 | 60 | 12 | 30 | 0,602 |
| 47 T10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 37 | 47 | 60 | 12 | 30 | 0,642 |
| 47 T10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 37 | 47 | 60 | 12 | 30 | 0,74 |
| 47 T10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 37 | 47 | 65 | 12 | 32 | 0,844 |
| 47 T10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 37 | 47 | 70 | 16 | 35 | 1,083 |
| 47 T10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 37 | 47 | 80 | 16 | 40 | 1,317 |
| 47 T10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 37 | 47 | 88 | 16 | 46 | 1,611 |
| 47 T10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 37 | 47 | 95 | 16 | 48 | 1,931 |
| 47 T10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 37 | 47 | 110 | 16 | 60 | 3,004 |




| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|-------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 66 T10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 56 | 66 | 40 | 10 | 22 | 0,422 |
| 66 T10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 56 | 66 | 44 | 10 | 22 | 0,466 |
| 66 T10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 56 | 66 | 46 | 12 | 24 | 0,52 |
| 66 T10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 56 | 66 | 52 | 12 | 28 | 0,57 |
| 66 T10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 56 | 66 | 58 | 12 | 30 | 0,736 |
| 66 T10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 56 | 66 | 60 | 12 | 30 | 0,766 |
| 66 T10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 56 | 66 | 60 | 12 | 30 | 0,816 |
| 66 T10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 56 | 66 | 60 | 12 | 30 | 0,946 |
| 66 T10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 56 | 66 | 60 | 12 | 30 | 0,96 |
| 66 T10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 56 | 66 | 60 | 12 | 30 | 1,169 |
| 66 T10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 56 | 66 | 65 | 12 | 32 | 1,3 |
| 66 T10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 56 | 66 | 70 | 16 | 35 | 1,637 |
| 66 T10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 56 | 66 | 80 | 16 | 40 | 1,999 |
| 66 T10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 56 | 66 | 88 | 16 | 46 | 2,357 |
| 66 T10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 56 | 66 | 95 | 16 | 48 | 2,83 |
| 66 T10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 56 | 66 | 110 | 16 | 60 | 4,366 |




| Bezeichnung | Anzahl der Zähne | Ausfüh- rung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|--------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 31 AT10/15-2 | 15 | 6F | Al | 47,75 | 45,9 | 51 | 21 | 31 | 32 | 8 | 18 | 0,116 |
| 31 AT10/16-2 | 16 | 6F | Al | 50,93 | 49,05 | 54 | 21 | 31 | 35 | 8 | 20 | 0,134 |
| 31 AT10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 21 | 31 | 40 | 8 | 22 | 0,167 |
| 31 AT10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 21 | 31 | 44 | 8 | 22 | 0,184 |
| 31 AT10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 21 | 31 | 46 | 8 | 24 | 0,208 |
| 31 AT10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 21 | 31 | 52 | 8 | 28 | 0,253 |
| 31 AT10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 21 | 31 | 58 | 8 | 30 | 0,288 |
| 31 AT10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 21 | 31 | 60 | 8 | 30 | 0,31 |
| 31 AT10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 21 | 31 | 60 | 8 | 30 | 0,357 |
| 31 AT10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 21 | 31 | 60 | 8 | 30 | 0,364 |
| 31 AT10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 21 | 31 | 60 | 8 | 30 | 0,401 |
| 31 AT10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 21 | 31 | 60 | 8 | 30 | 0,441 |
| 31 AT10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 21 | 31 | 65 | 10 | 32 | 0,493 |
| 31 AT10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 21 | 31 | 70 | 10 | 35 | 0,623 |
| 31 AT10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 21 | 31 | 80 | 10 | 40 | 0,767 |
| 31 AT10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 21 | 31 | 88 | 10 | 46 | 0,993 |
| 31 AT10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 21 | 31 | 95 | 16 | 48 | 1,09 |
| 31 AT10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 21 | 31 | 110 | 16 | 60 | 1,71 |



| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|--------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 40 AT10/15-2 | 15 | 6F | Al | 47,75 | 45,9 | 51 | 30 | 40 | 32 | 8 | 18 | 0,152 |
| 40 AT10/16-2 | 16 | 6F | Al | 50,93 | 49,05 | 54 | 30 | 40 | 35 | 8 | 20 | 0,176 |
| 40 AT10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 30 | 40 | 40 | 8 | 22 | 0,224 |
| 40 AT10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 30 | 40 | 44 | 8 | 22 | 0,247 |
| 40 AT10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 30 | 40 | 46 | 8 | 24 | 0,276 |
| 40 AT10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 30 | 40 | 52 | 8 | 28 | 0,337 |
| 40 AT10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 30 | 40 | 58 | 8 | 30 | 0,392 |
| 40 AT10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 30 | 40 | 60 | 8 | 30 | 0,422 |
| 40 AT10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 30 | 40 | 60 | 8 | 30 | 0,477 |
| 40 AT10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 30 | 40 | 60 | 8 | 30 | 0,536 |
| 40 AT10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 30 | 40 | 60 | 8 | 30 | 0,54 |
| 40 AT10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 30 | 40 | 60 | 8 | 30 | 0,64 |
| 40 AT10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 30 | 40 | 65 | 10 | 32 | 0,693 |
| 40 AT10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 30 | 40 | 70 | 10 | 35 | 0,873 |
| 40 AT10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 30 | 40 | 80 | 10 | 40 | 1,067 |
| 40 AT10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 30 | 40 | 88 | 10 | 46 | 1,35 |
| 40 AT10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 30 | 40 | 95 | 16 | 48 | 1,516 |
| 40 AT10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 30 | 40 | 110 | 16 | 60 | 2,339 |



| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|--------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 47 AT10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 37 | 47 | 40 | 10 | 22 | 0,253 |
| 47 AT10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 37 | 47 | 44 | 10 | 22 | 0,286 |
| 47 AT10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 37 | 47 | 46 | 12 | 24 | 0,322 |
| 47 AT10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 37 | 47 | 52 | 12 | 28 | 0,393 |
| 47 AT10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 37 | 47 | 58 | 12 | 30 | 0,475 |
| 47 AT10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 37 | 47 | 60 | 12 | 30 | 0,527 |
| 47 AT10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 37 | 47 | 60 | 12 | 30 | 0,564 |
| 47 AT10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 37 | 47 | 60 | 12 | 30 | 0,602 |
| 47 AT10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 37 | 47 | 60 | 12 | 30 | 0,642 |
| 47 AT10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 37 | 47 | 60 | 12 | 30 | 0,74 |
| 47 AT10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 37 | 47 | 65 | 12 | 32 | 0,844 |
| 47 AT10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 37 | 47 | 70 | 16 | 35 | 1,083 |
| 47 AT10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 37 | 47 | 80 | 16 | 40 | 1,317 |
| 47 AT10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 37 | 47 | 88 | 16 | 46 | 1,611 |
| 47 AT10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 37 | 47 | 95 | 16 | 48 | 1,931 |
| 47 AT10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 37 | 47 | 110 | 16 | 60 | 3,004 |



| Bezeichnung | Anzahl der Zähne | Ausführ- ung | Mate- rial | Dp (mm) | De (mm) | Df (mm) | F (mm) | L (mm) | Dm (mm) | Vor- bohr. (mm) | Fertig- bohr. (mm) | Gewicht (kg) |
|---------------|------------------------|-----------------|---------------|------------|------------|------------|-----------|-----------|------------|-----------------------|--------------------------|-----------------|
| 66 AT10/18-2 | 18 | 6F | Al | 57,29 | 55,45 | 60 | 56 | 66 | 40 | 10 | 22 | 0,422 |
| 66 AT10/19-2 | 19 | 6F | Al | 60,48 | 58,6 | 66 | 56 | 66 | 44 | 10 | 22 | 0,466 |
| 66 AT10/20-2 | 20 | 6F | Al | 63,66 | 61,8 | 66 | 56 | 66 | 46 | 12 | 24 | 0,52 |
| 66 AT10/22-2 | 22 | 6F | Al | 70,03 | 68,15 | 75 | 56 | 66 | 52 | 12 | 28 | 0,57 |
| 66 AT10/24-2 | 24 | 6F | Al | 76,39 | 74,55 | 83 | 56 | 66 | 58 | 12 | 30 | 0,736 |
| 66 AT 10/25-2 | 25 | 6F | Al | 79,58 | 77,7 | 83 | 56 | 66 | 60 | 12 | 30 | 0,766 |
| 66 AT 10/26-2 | 26 | 6F | Al | 82,76 | 80,9 | 87 | 56 | 66 | 60 | 12 | 30 | 0,816 |
| 66 AT 10/27-2 | 27 | 6F | Al | 85,95 | 84,1 | 91 | 56 | 66 | 60 | 12 | 30 | 0,946 |
| 66 AT 10/28-2 | 28 | 6F | Al | 89,13 | 87,25 | 93 | 56 | 66 | 60 | 12 | 30 | 0,96 |
| 66 AT 10/30-2 | 30 | 6F | Al | 95,49 | 93,65 | 97 | 56 | 66 | 60 | 12 | 30 | 1,169 |
| 66 AT 10/32-2 | 32 | 6F | Al | 101,86 | 100 | 106 | 56 | 66 | 65 | 12 | 32 | 1,3 |
| 66 AT 10/36-2 | 36 | 6F | Al | 114,59 | 112,75 | 119 | 56 | 66 | 70 | 16 | 35 | 1,637 |
| 66 AT 10/40-2 | 40 | 6F | Al | 127,32 | 125,45 | 131 | 56 | 66 | 80 | 16 | 40 | 1,999 |
| 66 AT 10/44-0 | 44 | 6 | Al | 140,06 | 138,2 | — | 56 | 66 | 88 | 16 | 46 | 2,357 |
| 66 AT 10/48-0 | 48 | 6 | Al | 152,78 | 150,95 | — | 56 | 66 | 95 | 16 | 48 | 2,83 |
| 66 AT 10/60-0 | 60 | 6 | Al | 190,98 | 189,1 | — | 56 | 66 | 110 | 16 | 60 | 4,366 |

